



DN	ϕD	$\phi D1$	$n-\phi d$	H	H1	H2	L	L1	Flange Drilling	b°
40	90	50	4- $\phi 7$	105	73	32	33	9	DIN 2501 PN10/PN16 JIS10K ANSI 150	45
50	90	50	4- $\phi 7$	130	85	32	43	9		45
65	90	50	4- $\phi 7$	140	94	32	46	11		45
80	90	70	4- $\phi 9$	145	105	32	46	14		22.5
100	90	70	4- $\phi 9$	160	126	32	52	14		22.5
125	90	70	4- $\phi 9$	170	140	32	56	14		22.5
150	90	70	4- $\phi 9$	190	151	32	56	17		22.5
200	90	70	4- $\phi 9$	220	183	40	60	17		22.5
250	125	102	4- $\phi 11$	260	217	40	68	22		15
300	125	102	4- $\phi 11$	290	252	45	78	22		15
350	175	140	4- $\phi 17.5$	320	285	45	78	27		11.25

NO.	PARTS NAME	MATERIAL	QTY	SHELL	SEAL
7	BODY	DI	1		
6	DISC	Aluminum bronze	1		
5	PIN	Bi-directional steel	1PCS		
4	SEAT	EPDM/NBR/VITON	1		
3	BUSHING	Brass	4		
2	*O" RING	NBR	1		
1	STEM	SS431	1		

TEST PRESSURE	SHELL	SEAL
HYDROSTATIC	1.5 MPa	1.1 MPa
AIR		

DESIGN CODE	API609
INSPECTION TEST	API598
STANDARD	DIN 2501 PN10/PN16/JIS 10K/ANSI 150
FACE TO FACE	ISD 5752-Series 20

LT BUTTERFLY VALVE
DN40-350

APPROVED		REV
CHECKED		
DRAWN		
DESIGNED		MM

SIGNATURE: TIANJIN QICHANG VALVE MANUFACTURING CO., LTD

通用用件登记
插图
描述
图号
底图总号
签字
日期